SAMPLER SYSTEM PARTICULATE

MANUFACTURER: SKC, INC. Manufacturer Model# 100-3901

Manufacturer's PHONE: (724) 941-9701 FAX: (724) 941-2184

Manufacturer's Website: http://www.skcinc.com

Item Web Link:

 <a h

AAC 'L' ITEM NSN 6665-01-541-2405

UAs: 106A, 216B, 218B

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$3,593.39

System Description: This is a portable, lightweight, and cost-effective ambient air sampling system that features a fully programmable Leland Legacy Sample Pump with high-power Li-Ion battery for over 24 hours of run time. Specially designed sampling heads are easily loaded with media and deployed. The pump operates from inside the case for protection during sampling. SKC deployable sampler systems offer the added advantage of PC programmability with the DataTrac Software accessory for advanced scheduling options and record keeping. Two external battery assemblies with adapters are packaged separately.

Features:

- Compact and portable only one case
- Fast setup with modular components and quick-connect tubing
- Ideal for remote locations and indoor air sampling
- 24-hour Li-Ion battery-operated system
- Easy, secure operation from within a heavy-duty lockable case
- Ouick-mount bracket is easy to install
- Quick-change battery packs
- Rain cover protects sampling head
- Compact for easy transport
- Low noise for indoors
- System pump provides constant, accurate airflows
- Simple 3-button keypad for setting a single unattended sample run
- Program for multiple runs with a PC and DataTrac for Leland Legacy Software



SAMPLER SYSTEM PARTICULATE PART # 100-3901 NSN 6665015412405






SAMPLER SYSTEM PARTICULATE PART # 100-3901 NSN 6665015412405



PUMP



IMPACTOR (SAMPLING HEAD) PART # 225-395



SAMPLER SYSTEM PARTICULATE PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	6.9				
	Width (Inches)	4.1				
	Length (Inches)	18.5				
	Cube (Cubic Feet)	0.3029				
	Weight	13 lbs				
Ship Dimensions	Height (Inches)	0				
_	Width (Inches)	0				
	Length (Inches)	0				
	Cube (Cubic Feet)	0				
	Weight					
Storage Temp		-4 to 95 °F				
Operating Temp		32 to 113 °F				
Storage Humidity						
Operating Humidity						
Amps						
Watts						
Power Requirements	Rechargeable Li-Ion battery, 7.4 V, 2-Ah capacity, 88 Wh					
Notes	Flow Rate: Run Time: Battery Recharge Time: Charging Temperature: Analysis:	10 L/min > 24 hours (one battery charge) 15 hours 32 to 113 °F Gravimetric and/or chemical				

SAMPLER SYSTEM PARTICULATE ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN SKC, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6665015412405		Sampler System Particulate	100-3901		1	EA	\$3,593.39	\$3,593.39	N/A
	Awaiting NSN	Battery Assembly External with Adapter	223-247		2	EA	Incl w/NSN 2405	Incl w/NSN 2405	N/A
	Awaiting NSN	Tubing Calibration PVC Reinforced Flexible 1ft	P300041		1	EA	Incl w/NSN 2405	Incl w/NSN 2405	N/A
	Awaiting NSN	Tubing PVC Reinforced Flexible 6.5ft	P30004		1	EA	Incl w/NSN 2405	Incl w/NSN 2405	N/A
	Awaiting NSN	Tubing Silicone 0.4ft	P30255A		1	2/PG	Incl w/NSN 2405	Incl w/NSN 2405	N/A
5340016043355		Bracket Mounting	225-399		1	EA	Incl w/NSN 2405	Incl w/NSN 2405	N/A
6665016043407		Adapter Calibration	225-394		1	EA	Incl w/NSN 2405	Incl w/NSN 2405	N/A
6665016061844		Cover Protective	225-398		1	EA	Incl w/NSN 2405	Incl w/NSN 2405	N/A
6665016061872		Sampling Head (Filter Cassette)	225-396		2	EA	Incl w/NSN 2405	Incl w/NSN 2405	N/A
6665016061927		Cassette Opener Particulate Filter	225-397		1	EA	Incl w/NSN 2405	Incl w/NSN 2405	N/A
6665016062104		Disc Impaction Disposable 25s	225-395		1	25/PG	Incl w/NSN 2405	Incl w/NSN 2405	6
7610015437003		Literature Operator	P40101		1	EA	Incl w/NSN 2405	Incl w/NSN 2405	N/A

$\frac{\text{SAMPLER SYSTEM PARTICULATE}}{\text{WEB LINKS}}$

<u>Click Below for Literature, Operation</u> http://www.skcinc.com/SearchDownloads/default.asp